

ADDENDUM NUMBER 1

DATE: APRIL 28, 2025

PROJECT NAME: GRANITEVILLE ARMORY – KITCHEN UPFIT

OWNER'S PROJECT NUMBER: E24-9848-CB

ARCHITECT: GMK ASSOCIATES

TO: PROSPECTIVE BIDDERS

This addendum modifies the drawings and specifications for the above referenced project dated JANUARY 15 2025. Changes noted herein will become part of the contract.

Acknowledge receipt of this addendum in the space provided in the bid form. Failure to do so may disqualify the bidder.

This addendum consists of **1 page**.

PROJECT MANUAL:

1. Specification **09 6700 FLUID-APPLIED FLOORING**, remove the existing section **2.01 FLUID-APPLIED FLOORING SYSTEMS**, and replace with the following:

2.01 FLUID-APPLIED FLOORING SYSTEMS

- A. Fluid-Applied Flooring: Epoxy or urethane with epoxy topcoat.
 1. MVT Primer: Vapor Control Primer 1P: 17 mils typical thickness.
 2. System Thickness: 40 mils, nominal, dry film thickness (DFT).
 3. Texture: Slip resistant.
 4. Sheen: Semi-gloss.
 5. Color: As selected by Architect.
 6. Basis of Design Product: DEX-O-TEX; Posi-Tred-O; dexotex.com/#sle.(or equal approved by architect).

END OF ADDENDUM NUMBER 1